


133412 USB-C to HDMI Cable, M/M, 2.0m, 4K/30Hz

Product Images





Short Description

- USB-C Male (Compatible with TB3/TB4)
- HDMI Male
- Supports video resolutions up to 4K/30Hz
- Support resolution up to 3840 x 2160 @ 30 Hz
- Plug-and-Play installation
- Gold-plated connectors
- USB-C port with DisplayPort Alternate Mode (DP Alt Mode) is needed
- Resolution up to below (depending on the system and the connected hardware)

4k: 3840 x 2160 @ 30 Hz

2k: 2560 x 1440 @ 75 Hz

1080P: 1920 x 1200 @ 144 Hz

Description

The Equip® USB-C to HDMI adapter cable offers a convenient solution for directly connecting your USB-C™ device to your HDMI monitor or projector, Quality and stable transmission, gold-plated joints do not rust, say goodbye to water ripple stable transmission.

Additional Information

Harmonized System (HS) code.	853690
Customs product code (TARIC).	8536901000
Angled Plug.	No
Max. Resolution.	4K/30Hz
Connector 1.	USB-C, male
Connector 2.	HDMI-A, male
Cable Length.	2m
Dimensions (W x D x H).	4.5 x 4.5 x 2000 mm
Product weight (kg).	0.08
Cable Jacket material.	PVC
Conductor size (AWG).	32AWG
Material.	Plastic
Standards.	HDMI 1.4
Video Output Port.	HDMI
Approval and Compliance.	RoHS
Operating temperature.	0°C ~ 40°C
Package Contents.	USB-C to HDMI Cable
Color.	Black
EAN.	4015867228692
Model Number.	133412

