


POH-1620, 16-Port High Power PoE Midspan Hub, Budget: 400W, up to 30W per port

Product Images



Short Description

- Auto-detection and protection of non-standard PoE devices
- 10/100 /1000 Mbps wire speed transmission and reception
- Total PoE power budget: 400W, up to 30W per port

Description

LevelOne POH-1620 16 GE PoE Hub is equipped with 16 RJ-45 ports featuring PoE function to eliminate the bulky power cable need while implementing your network infrastructure thus allowing greater flexibility in the locating of network devices and significantly decreasing installation costs. Easy to Use the compact 19", 1U rack-mountable design enables the switch to be easily located in a server room in order to centralize power management and simplify network integration for various applications. For all the functions featured in POH-1620 users can get the benefits of flexible network solutions that can simplify the installation of wireless access points, IP cameras, IP phone and other devices or applications in the network.

Additional Information

Harmonized System (HS) code.	851762
Customs product code (TARIC).	8517620000
Injector Port Type.	Multiple-Port
Grade.	Commercial
Dimensions (W x D x H).	440 x 235 x 43 mm
Product weight (kg).	6
Data rate.	10/100/1000 Mbps
Data Rate.	1Gbps
Indicators.	Power Link PoE
Mount.	19" rack mount
Pin assignment and polarity.	1/2 (+), 3/6 (-)
Port Configuration.	16*10/100/1000Mbps Data-in , 16*10/100/1000Mbps PoE-out
Power consumption.	<20W without PoE output
Power Output.	400
Power supply included.	Yes
Standard.	IEEE 802.3 10Base-T Ethernet IEEE 802.3u 100Base-TX Fast Ethernet IEEE 802.3ab 1000Base-T Gigabit Ethernet IEEE802.3af for POE IEEE802.3at for POE+
Approval and Compliance.	CE/FCC
Operating humidity.	0% RH ~ 95% RH
Operating temperature.	0°C ~ 40°C
Package Contents.	Power cord
Color.	Black
EAN.	4015867228821
Model Number.	POH-1620

