

# BIAN09G 3-in-1 Card Reader USB 3.2 Gen 2, CFast 2.0, SD 4.0, MicroSD 4.0, UHS-II

## Product Images

---



## Short Description

---

- Compatible with CFast 2.0, SD 4.0, and TF/MicroSD 4.0 cards, enabling versatile media management
- Supports simultaneous reading of three cards
- USB 3.2 Gen 2 SuperSpeed (10Gb/s)
- Simple Plug and Play installation
- Aluminum casing for heat dissipation
- Cable length: 15cm

## Description

---

This 3-in-1 Card Reader features a USB-C interface, providing seamless high-speed data transfer to any USB-C-compatible computer or device. With support for multiple card formats, including CFast 2.0, SD 4.0, and TF/MicroSD 4.0, it enables versatile and efficient handling of various media. Capable of transfer speeds up to 10Gbps, this reader ensures fast and reliable access to large files. An LED indicator provides a visual cue during data read and write operations.

Designed for photographers, videographers, and content creators, this card reader offers a convenient, all-in-one solution for managing media files quickly and efficiently.

## Additional Information

---

|                               |                                                                     |
|-------------------------------|---------------------------------------------------------------------|
| Harmonized System (HS) code.  | 8471800000                                                          |
| Customs product code (TARIC). | 8471800000                                                          |
| Connector.                    | USB-C male                                                          |
| Data Rate.                    | 10Gbps                                                              |
| Standards.                    | SD 4.0, USB 3.2 Gen 2, microSD 4.0, CFast 2.0                       |
| Supported storage capacity.   | 3 TB                                                                |
| Supported drive capacity.     | 1 TB (CFast), 2 TB (SD/microSD)                                     |
| Approval and Compliance.      | CE, RoHS                                                            |
| Operating humidity.           | 5% RH ~ 90% RH                                                      |
| Operating temperature.        | 0°C ~ 45°C                                                          |
| Compatible operating systems. | Windows XP/Vista/7/8/10/11 MacOS 10.5 or above Android 5.0 or above |
| Package Contents.             | BIAN09G Multilingual quick installation guide                       |
| Color.                        | Grey                                                                |
| EAN.                          | 4015867239490                                                       |
| Model Number.                 | BIAN09G                                                             |
| Cable Length.                 | 0.15m                                                               |
| Dimensions (W x D x H).       | 64 x 73 x 15 mm                                                     |
| Product weight (kg).          | 0.065                                                               |

